

Village of Bluffton Council Meeting Agenda

May 9, 2022 at 7:00 PM



Opening Ceremonies

Call to Order, Mayor Johnson presiding

Pledge of Allegiance



Minutes

Approval of the minutes for the Village Council meeting held on Monday, April 25, 2022.

Bills

Public Comment: Shane Coleman, Executive Director
Lima Allen County Regional Planning Commission

Public Hearing: 7:15 pm – Shall the action of the Planning Commission in approving the construction drawings be affirmed?

Committee Reports

Boards & Commissions

Pathway Board – 05/05

LEGISLATION:

Village Administration Report:

Mayor:

Safety Services Reports:

-EMS-

-Fire Dept.-

-Police Dept.-

Meeting Dates (meetings held at the Town Hall unless otherwise noted*)

Village Council – Monday, May 9 at 7:00 pm

Public Hearing before Village Council – Monday, May 9 at 7:15 pm

Village Council – Monday, May 23 at 7:00 pm

Public Comment

Adjournment – Motion and Second

Village of Bluffton – Regular meeting April 25, 2022, at 7:00 p.m.

Mayor Johnson presiding. Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia present.

Cupples motioned, seconded by Kingsley, to approve the minutes from the regular council meeting held on April 11, 2022. Roll Call: Yes (6) Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia. No (0), Abstain (0), motion approved.

Steiner motioned, seconded by Talavinia, to approve the bills as presented. Roll Call: Yes (6) Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia. No (0), Abstain (0), motion approved.

Steiner motioned, seconded by Kingsley, to approve the Addendum #1 for the Lawn & Jackson St. Water and SR 103 Sanitary Replacement projects, extending the completion date for the projects until May 15, 2023. Roll Call: Yes (6) Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia. No (0), Abstain (0), motion approved.

Stahl motioned, seconded by Cupples, to approve the special event permit for the Bluffton High School Paint the Street event on May 15, 2022. College Ave. between Main & Jackson St. will be closed from 5:30 p.m. until 10:00 p.m. Rain date is May 18, 2022. Roll Call: Yes (6) Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia. No (0), Abstain (0), motion approved.

Steiner motioned, seconded by Talavinia, to approve the special event request for the High School Baccalaureate to be held on May 26, 2022, from 7:00 – 8:00 p.m.. College Ave. between Main & Jackson will be closed from 5:00 – 8:15 p.m. Roll Call: Yes (6) Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia. No (0), Abstain (0), motion approved.

Kingsley motioned, seconded by Sehlhorst, to approve the special event request for the Bluffton Arts & Crafts Festival to be held at Blended Roots on June 4, 2022, from 6:00 a.m. – 6:00 p.m. Portions of Railroad and Cherry Streets will be closed during the event. Roll Call: Yes (6) Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia. No (0), Abstain (0), motion approved.

Steiner motioned, seconded by Stahl, to approve the special event request for the Festival of Wheels to be held on June 17, 2022, from 11:00 a.m. – 8:00 p.m. Street closures include Main St. from Elm St. to Franklin St., Cherry Street from Main to the alley behind Twisted Whisk, and Church St.. Roll Call: Yes (6) Messrs: Cupples, Kingsley, Sehlhorst, Stahl, Steiner, and Talavinia. No (0), Abstain (0), motion approved.

Cupples motioned to adjourn the meeting.

The following meetings/events were included on the agenda and/or scheduled during the meeting.

Pathway Board meeting on Thursday, May 5, at noon.
Personnel Committee on Monday, May 9 at noon, via Zoom.
Village Council meeting on Monday, May 9 at 7:00 p.m.
Public Hearing before Village Council – Monday, May 9 at 7:15 p.m.

MAYOR

FISCAL OFFICER

VILLAGE OF BLUFFTON
VOUCHER REPORT 5/9/2022

VENDOR	AMOUNT	DEPARTMENT	DESCRIPTION
ALL SERVICE AERATION, INC	535.50	Park	PORTABLE TOILETS
AMERICAN ELECTRIC POWER	15,796.67	Multiple	ELECTRICITY
AMERICAN ELECTRIC POWER	69.95	Multiple	ELECTRICITY
ANGEL'S FLOORING SERVICE	8,146.00	Airport	LOBBY FLOORING
BAILEY'S EQUIPMENT & APPAREL	190.00	Police	UNIFORMS
BASINGER PLUMBING & HEATING LLC	792.58	Land & Buildings	SERVICE AGREEMENT - COOLING
BASINGER PLUMBING & HEATING LLC	676.00	Airport	HEATER REPAIR
BEAVER RESEARCH COMPANY	178.41	Sewer	DEGREASER
BEAVER RESEARCH COMPANY	264.79	Sewer	LIFT STATION DEGREASER
BEAVERDAM CONTRACTING, INC.	12,750.00	Sewer	SANITARY TAPS
BLUFFTON FLYING SERVICE	5,000.00	Airport	AIRPORT MANAGEMENT
BOBCAT COMPANY	320.00	Park	EQUIPMENT RENTAL
BOBCAT COMPANY	1,500.00	Park	VILLAGE PARK PARKING LOT WORK
C & C PROPERTY MANAGEMENT	1,329.00	PARK	SR 103 PATHWAY PARCEL 35-SH, S, T
CENTURYLINK	274.01	Multiple	PHONES
CENTURYLINK	62.94	Multiple	PHONES
CHARTER COMMUNICATIONS	43.40	Multiple	CABLE
CHOICE ONE ENGINEERING	1,750.00	Water	BIDDING - LAWN & JACKSON WATER MAIN
CHOICE ONE ENGINEERING	697.50	Multiple	GENERAL ENGINEERING
CHOICE ONE ENGINEERING	5,575.00	Sewer	SR 103 SANITARY ENGINEERING
CITIZEN'S NATIONAL BANK	36.67	Police	FUNERAL SUPPLIES
CITIZEN'S NATIONAL BANK	513.55	Administrative	TAX PAYMENT
CITIZEN'S NATIONAL BANK	24.55	Police	TRAINING
CITIZEN'S NATIONAL BANK	962.16	Sewer	SR103 PTI - SANITARY
CITIZEN'S NATIONAL BANK	174.00	Police	STAMPS
DEGEN EXCAVATING CO., INC.	551.28	Sewer	VAC & CLEAN
DEGEN EXCAVATING CO., INC.	624.90	Sewer	VAC & CLEAN
ENVIRONMENTAL RESOURCE ASSOC	114.55	Sewer	DMRQ STUDY
FRESH ENCOUNTER CORPORATE	106.98	Police	FUNERAL FOOD
FRESH ENCOUNTER CORPORATE	22.26	Administrative	SUPPLIES
GARY'S REPAIR	309.23	Park	MOWER OIL CHANGES
GARY'S REPAIR	72.30	Park	MOWER/GROUNDS SUPPLIES
GEHLE AERATION	675.00	Sewer	SEWER TELEVISION
GRAINGER INC	148.40	Water	MISC PARTS
GUTH LABORATORIES INC	39.24	Police	TESTING SUPPLIES
HACKENBERG, FEIGNER, BISHOP & WERTH, LLC	1,000.00	Administrative	SOLICITOR FEES
J & D SNYDER EXCAVATING LLC	3,480.00	Park	VILLAGE PARK PAVING
JOHNNY APPLESEED PARK DISTRICT	50.00	Administrative	IN MEMORY OF JOANNE ANTIBUS
KLEEM	48.63	Street	STREET SIGNS
LEXIS NEXIS RISK DATA MANAGEMENT INC.	50.00	Administrative	ADDRESS SEARCHES
MARATHON FLEET SERVICES	2,292.66	Multiple	FUEL
MINTEYS MAIDS	100.00	Land & Buildings	TOWN HALL CLEANING
MINTEYS MAIDS	100.00	Land & Buildings	TOWN HALL CLEANING
NAGY EQUIPMENT SALES INC.	141.23	Street	HOSE REPLACEMENT
NATIONAL RETAIL PROPERTIES, INC.	371.00	Park	SR 103 PATHWAY PARCEL 23-T
NORTHERN TOOL & EQUIPMENT CO.	75.99	Park	SPRAYER
NORTHWESTERN OHIO SECURITY SYSTEMS	196.00	Land & Buildings	MONITORING
NORTHWESTERN OHIO SECURITY SYSTEMS	216.35	Land & Buildings	WALL STROBE REPLACEMENT
PERRY CORPORATION	1,327.61	Administrative	IT CONTRACT
PERRY CORPORATION	19.95	Administrative	IT CONTRACT
PERRY CORPORATION	142.34	Administrative	IT CONTRACT

PERRY CORPORATION	25.95	Administrative	IT CONTRACT
PHILLIPS, SCOTT	208.34	Administrative	BOOTS
Railroad Management Company IV LLC	583.55	Water	LICENSE FEE
RUMPKE	23,234.14	Refuse	TRASH SERVICES - FEB
RUMPKE	23,234.14	Refuse	TRASH SERVICES - MAR
STAPLES BUSINESS ADVANTAGE	450.70	Multiple	SUPPLIES
STAPLES BUSINESS ADVANTAGE	599.26	Multiple	SUPPLIES
THE LAWFT	68.99	Police	AWARDS
THE LAWFT	135.98	Police	UNIFORMS
TOWN & COUNTRY FLOWERS	112.00	Administrative	MEMORIAL ARRANGEMENT
TOWN & COUNTRY FLOWERS	215.78	Police	MEMORIAL ARRANGEMENT
TTS RENTAL PROPERTIES, LLC.	13,261.00	Park	SR 103 PATHWAY PARCEL 16-SH, T
VERIZON	103.68	Multiple	PHONES
VETTER LUMBER CO.	8,339.81	Airport	AIRPORT CARPET
VETTER LUMBER CO.	653.30	Multiple	SUPPLIES
WESSLER ENGINEERING	750.00	Sewer	WWTP ENG. STUDY
WESSLER ENGINEERING	117.50	Sewer	SANITARY ON-CALL SERVICES
INCOME TAX REFUNDS	3,128.97	Administrative	INCOME TAX REFUNDS
	<u>145,161.67</u>		
APRIL MONTHLY	2,569.00		
MEDICARE	37.22		
OPERS	192.17		
FICA	40.14		
BIWEEKLY PAYROLL 5/6/22	43,608.84		
MEDICARE	594.72		
OPERS	2,501.86		
OP&F	2,277.32		

Council Signature : _____

Date: _____

Meeting: Bike and Pedestrian Pathway Board
Date/Time: Thursday, May 5, 2022, Noon
Location: Town Hall, 3rd Floor Conference Room

Members Present: John Rich, Mitch Kingsley, Jenny Pilarowski
Members Absent: Greg Denecker, Jane Wood, Dima Snyder
Village Liaison Present: Ben Stahl
Public: Travis Music

The meeting began with the following: Consensus to appoint Mitch Kingsley as Chair Pro Tempore. Jenny Pilarowski and Mitch will be responsible for minutes.

Mitch Kingsley called the meeting to order.

MINUTES:

Minutes of the April 7, 2022, meeting were recorded by prior secretary, Laura Voth. They were not approved at this meeting.

BUSINESS:

Recruitment of Board Members

Travis Music has agreed to serve on the Pathways Board! He will be recommended to the Mayor and Council at their next meeting.

Discussion continued in brainstorming for potential new board members and creating a plan of action for contacting each.

Lions Way County Line Path – 2021-2022

Review: AEP expects to complete their work between November 2022 and March 2023, after which time the Lions Way County Line Pathway can be installed between April and May 2023. Fund raising is complete for this project.

Lions Way SR 103 Pathway – 2022-2024

It was reported that the Village received an ODNR Clean Ohio Trails Grant in the amount of \$87,066 for the acquisition of green space/right of way for the SR 103 project.

We agreed that there would be no meeting in July

Meeting Adjourned.

Next meeting will be held at noon on Thursday, June 2, 2022, at 3rd Floor Conference Room of Town Hall.

Respectfully Submitted,
~Jenny Pilarowski & Mitch Kingsley

Village of Bluffton

Administration's Report

To: Mayor Johnson & Council Members



05-09-22

Upcoming Projects:

ALL-BLU-2104: Lawn and Jackson Street Water

HAN-BLU-2101: S.R. 103 Sanitary Replacement

- Bid Openings: May 12th, 2022

- Award by: July 12, 2022 (After OPWC Agreement)

2022 Bluffton Swimming Pool Employment: Manager Jennie Wilson will be interviewing applicants. List of recommended new hires will be in the next Council Packet.

LIFEGUARD



Mowing Regulations –

§ 96.37 CUTTING SPECIFICATIONS AND STANDARDS OF PRACTICE.

(A) Every owner shall cut, mow and maintain all grass, weeds and brush upon the owner's property and adjacent to the curb line or outer boundary of any street, which includes the parking area abutting the owner's property, to a uniform height as defined in § 96.38.

§ 96.38 UNIFORM HEIGHT SPECIFICATIONS.

(A) Grass, weeds or brush shall be cut, mowed and maintained so as not to exceed the following height specifications:

- (1) Developed residential areas: not to exceed seven inches;

2022 Street Paving:

Bluffton Paving has completed the roads prioritized for this season. PWD will be coordinating the replacement of the curb sections removed in necessary areas.

Seasonal Employee Hiring

Recommendation for Pete Langhals to be hired as a Seasonal Employee for 2022

2021 Consumer Confidence Report

Attached report has been submitted to the EPA for review. Another year of compliance with EPA regulations has been achieved.

Thin Blue Line –

881 SR 103 -

★ **Mayor Johnson**

Special Events Permits:

Council Committee Meetings: Request for meetings with: Bluffton In Bloom



VILLAGE OF BLUFFTON

Drinking Water Consumer Confidence Report For 2021



The Village of Bluffton has prepared the following report to provide information to you, the consumer, on the quality of your drinking water. Included within this report is general health information, water quality test results, how to participate in decisions concerning your drinking water and water system contacts.

What's the source of your drinking water?

The Village of Bluffton receives its drinking water from the Village of Ottawa. We have a current, unconditioned license to operate our water system. The Village of Ottawa Public Water System draws its drinking water from the Blanchard River, which runs south of the Water Treatment Plant. For the purposes of source water assessments in Ohio, all surface waters are considered to be susceptible to contamination and require extensive treatment before being used as a drinking water. By their nature, surface waters are readily accessible and can be contaminated by chemicals and pathogens, which may rapidly arrive at the public drinking water intake with little warning or time to prepare. The Village of Ottawa's drinking water source protection area contains potential contaminant sources such as agriculture, home construction, septic systems, combined sewer overflows, wastewater treatment discharges, commercial and industrial sources, roadways, and railways.

The Village of Ottawa's Public Water System treats the water to meet drinking water quality standards, but no single treatment technique can address all potential contaminants. Implementing measures to protect the Blanchard River can further decrease the potential for water quality impacts. More detailed information is provided in the Village of Ottawa's Drinking Water Source Assessment report, which can be obtained by calling (419)523-5020.

What are sources of contamination to drinking water?

The sources of drinking water, both tap water and bottled water, includes rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include: (A) Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife; (B) Inorganic Contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; (C) Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; (D) Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; (E) Radioactive Contaminants, which can be naturally occurring or can be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, USEPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water, which must provide the same protection for the public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses

a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (1-800-426-4791).

Who needs to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders and the elderly and infants can be particularly at risk from infection. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Village of Bluffton is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://epa.gov/safewater/lead>.

About your drinking water:

The EPA requires regular sampling to ensure drinking water safety. The Village of Ottawa conducted sampling for total coliform bacteria, inorganics, and synthetic and volatile organic contaminants during 2021. Samples are collected for more than 80 different contaminants, most of which were not detected above minimal amounts in the Village of Ottawa's water supply. The Ohio EPA requires the Village to monitor for some contaminants less than once per year because concentrations of these contaminants do not change frequently. Some of the data, though accurate, may be more than one year old. The data presented within the Consumer Confidence Report is from the most recent testing done in accordance with Ohio Environmental Protection Agency Division of Drinking and Ground Water regulations.

The Village of Ottawa routinely monitors its drinking water for contaminants to ensure drinking water safety. The following pages are summarized information on those agents for which testing has been done. The EPA requires certain terminology and abbreviates, and that specific calculations be performed for different contaminants. To help better understand these terms, definitions have been provided. The analytical results presented in the tables are the most recent testing results done in accordance with regulations.

The value reported under the "Level Found" section for Total Organic Carbon (TOC) is the lowest ratio between the percentage of TOC actually removed to the percentage of TOC removal required by the EPA. A value of greater than (1) indicates that the water system is in compliance with TOC removal requirements, whereas a value of less than one (<1) indicates a violation of the TOC removal requirements.

Turbidity is a measure of the cloudiness of water and an indication of the effectiveness of the filter system. The turbidity limit is set by the EPA is 0.3 NTU in 95% of the daily samples and shall not exceed 1.0 NTU at any time. As reported on the spreadsheet, the Village's highest recorded daily turbidity result for 2021 was 0.14 NTU and the lowest percentage of samples meeting the turbidity limits was 100.0%.

Listed in the following Table 1 is information on the contaminants that were found in the drinking water in 2021.

How do I participate in decisions concerning my drinking water?

Public participation and comments are encouraged at regular meetings of Council which meet the second and fourth Mondays of each month at 7:00 p.m. in the Town Hall at 154 N. Main Street, Bluffton, Ohio 45817. If you would prefer to address your concerns in letter form, you may send it to:

Jesse Blackburn, Administrator

P.O. Box 63

Bluffton, OH 45817-0063

Or call: 419-358-2066 from 8:00 a.m. to 5:00 p.m. Monday through Friday.

Definitions and Terms Contained in this Report

1. Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known expected risk to health. MCLGs allow for a margin of safety.
2. Maximum Contaminant Level (MCL): The highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
3. Parts per Million (ppm) or Milligrams per Liter (mg/L): Are units of measure for the concentration of a contaminant. A part per million corresponds to one second in a little over 11.5 days.
4. Parts per Billion (ppb) or Micrograms per Liter (ug/L): Are units of measure for the concentration of a contaminant. A part per billion corresponds to one second in 31.7 years.
5. Action Level (AL): The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.
6. Maximum Residual Disinfectant Level Goal (MRDLG): The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
7. Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
8. Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.
9. Nephelometric Turbidity Units (NTU): A nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.
10. < : A symbol which means less than; a result of <5 means that the lowest level that could be detected as 5 and the contaminant in that sample was not detected.
11. N/A: not applicable
12. Below Detectable Levels (BDL).

Table 1

Contaminant (units)	MCL	MCLG	Level Found	Range of Detections	Violation?	Year Sampled	Typical Source of Contaminant
Microbiological Contaminants:							
Results from Bluffton Distribution System							
Total Coliform Bacteria	*See Note	0	0	0 - 1	No	2021	Naturally present in the environment
Results from Ottawa Distribution System							
Microcystins (ug/L)	AL = 0.3	n/a	< 0.300	n/a	No	2021	Produced by some natural occurring cyanobacteria
Total Organic Carbon	TT	n/a	2.01	1.52 - 2.46	No	2021	Naturally present in the environment
Turbidity (NTU)	TT	n/a	0.14	0.02 - 0.14	No	2021	Soil runoff
Turbidity (% meeting standard)	TT	n/a	0	100%	No	2021	Soil runoff
<i>*Total Coliform Bacteria MCL: Systems that collect fewer than 40 samples per month, one (1) positive sample.</i>							
Inorganic Contaminants:							
Results from Ottawa Distribution System							
Barium (ppm)	2	2	0.019	n/a	No	2021	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Copper (ppm)	AL = 1.3	1.3	0.125	n/a	No	2021	Corrosion of household plumbing systems; erosion of natural deposits
Lead (ppm)	AL = 15	0	1	n/a	No	2021	Corrosion of household plumbing systems; erosion of natural deposits
Fluoride (ppm)	4	4	1.1	0.78 - 1.30	No	2021	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer & aluminum factories
Nitrate (ppm)	10	10	2.42	0.81 - 2.42	No	2021	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Synthetic Organic Contaminants Including Pesticides and Herbicides:							
Atrazine (ppb)	3	3	0.095	n/a	No	2021	Runoff from herbicide used on row crops
Residual Disinfectants:							
Results from Bluffton Distribution System							
Total Chlorine (ppm)	MRDL=4	MRDLG=4	1.53	0.78-2.38	No	2021	Water additive used to control microbes
Volatile Organic Contaminants:							
Results from Bluffton Distribution System							
Haloacetic Acids [HAA5] (ppb)	60	n/a	34.2	24.1-51.9	No	2021	By-product of drinking water chlorination
Total Trihalomethanes [TTHM] (ppb)	80	n/a	38.5	29.4-48.4	No	2021	By-product of drinking water chlorination
Unregulated Contaminants:							
Results from Ottawa Distribution System							
			Maximum Level Found	Range of Detections		Sample Year	
Bromodichloromethane (ppb)			14.8	8.4 - 14.8		2021	
Dichlorobromomethane (ppb)			8.3	4.8 - 8.3		2021	
Bromoform (ppb)			1	0.5 - 1.0		2021	
Chloroform [trichloromethane] (ppb)			42.7	16.2 - 42.7		2021	

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health.
MCLGs allow for a margin of safety.
*Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available technology.
ppm: milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.
ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.
Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.



Date: May 3rd, 2022

To: Mayor Johnson and Council

From: Chief Ryan M. Burkholder

Reference: Police Department Monthly Report

POLICE ACTIVITY SUMMARY

March – April 2022

Police Calls for Service – 821

Traffic Stops – 119

Citations – 23

CRIMINAL COMPLAINTS

Criminal Mischief	-	1
Deceased Person	-	1
Driving under Suspension	-	7
Miscellaneous	-	3
Sexual Assault	-	2
Telecommunication Harassment	-	1
Theft	-	4
Warrant	-	2
Total	-	21



Incident Breakdown By Month Report

Print Date/Time: 05/03/2022 10:50
 Login ID: rburkholder
 Year: 2022

Bluffton Police Department
 ORI Number: OH0020100
 Incident Type: All

Incident Type	January		February		March		April		May		June		July		August		September		October		November		December		Yearly Totals
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	
Accident Property	5	23.8	5	23.8	5	23.8	6	28.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	21
Accident w/Injuries	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3
Administrative	89	33.7	106	40.2	69	26.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	264
Aiding Other	23	31.1	24	32.4	13	17.6	11	14.9	3	4.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	74
Alarm	9	27.3	6	18.2	8	24.2	8	24.2	2	6.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	33
Animal Complaint	2	25.0	2	25.0	1	12.5	3	37.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8
Assist Police	4	12.5	6	18.8	6	18.8	13	40.6	3	9.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	32
B&E	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Civil Complaint	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Court	1	25.0	1	25.0	2	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4
Criminal Damage	2	50.0	0	0.0	2	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4
Deceased	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Domestic	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Drug Abuse	1	25.0	2	50.0	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4
Escort	1	33.3	1	33.3	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3
Fight Complaint	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Follow Up	7	16.3	12	27.9	21	48.8	2	4.7	1	2.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	43
Forgery	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Hazmat	0	0.0	2	33.3	4	66.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6
Hit Skip	2	33.3	0	0.0	0	0.0	3	50.0	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6
House/Building	287	31.9	260	28.9	240	26.6	97	10.8	17	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	901
Intoxicated Driver	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Investigate Vehicle	19	20.7	35	38.0	26	28.3	10	10.9	2	2.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	92
K9 Request	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2
Lock Out	7	28.0	6	24.0	6	24.0	6	24.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	25
Menacing	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2



Incident Breakdown By Month Report

Print Date/Time: 05/03/2022 10:50
 Login ID: rburkholder
 Year: 2022

Bluffton Police Department
 ORI Number: OH0020100
 Incident Type: All

Incident Type	January		February		March		April		May		June		July		August		September		October		November		December		Yearly Totals
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	
Mentally Ill Person	1	9.1	4	36.4	3	27.3	3	27.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11
Miscellaneous	50	27.6	43	23.8	54	29.8	32	17.7	2	1.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	181
Motorist Assist	5	23.8	5	23.8	5	23.8	6	28.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	21
Paper Service	2	25.0	1	12.5	2	25.0	3	37.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8
Pedestrian Stop	1	16.7	3	50.0	1	16.7	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6
Prowler	0	0.0	0	0.0	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3
Sexual Abuse	0	0.0	0	0.0	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3
Shots Fired	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Stolen Vehicle	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Suspicious Person	4	40.0	3	30.0	1	10.0	2	20.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10
Telephone	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3
Theft	5	33.3	2	13.3	2	13.3	6	40.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	15
Traffic Stop	61	26.3	50	21.6	63	27.2	56	24.1	2	0.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	232
Unsecured Door	1	10.0	3	30.0	3	30.0	2	20.0	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10
Unwanted Guest	1	50.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2
Warrant Service	3	50.0	1	16.7	0	0.0	2	33.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6
Total:	603	29.5	589	28.8	545	26.6	276	13.5	34	1.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2047



Ticket Statistics

Print Date/Time: 05/03/2022 10:44
 Login ID: rburkholder
 Statute: All

From Date: 03/01/2022
 To Date: 04/30/2022
 Ticket Type: All

Bluffton Police Department
 ORI Number: OH0020100

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Totals
Warning													
73.10(B)(2) Speed 25 MPH	0	0	1	0	0	0	0	0	0	0	0	0	1
Warning Totals	0	0	1	0	0	0	0	0	0	0	0	0	1
Traffic													
451.21D4 Speed - 70MPH Freeway	0	0	1	0	0	0	0	0	0	0	0	0	1
4511.21B6 Speed 50 MPH (also 45 MPH)	0	0	1	0	0	0	0	0	0	0	0	0	1
4511.21B3 Speed 35 MPH	0	0	2	0	0	0	0	0	0	0	0	0	2
451.21B2 Speed 25 MPH	0	0	2	0	0	0	0	0	0	0	0	0	2
4511.38A Rules for Starting and/or Backing	0	0	1	0	0	0	0	0	0	0	0	0	1
4503.11A Expired License Plates	0	0	1	0	0	0	0	0	0	0	0	0	1
4513.04A 2 HEADLIGHTS REQUIRED/ 1 HEADLIGHT ON MOTORCYCLE	0	0	1	0	0	0	0	0	0	0	0	0	1
4511.12A FAILURE TO OBEY TRAFFIC CONTROL DEVICE	0	0	5	1	0	0	0	0	0	0	0	0	6
73.10(B)(3) Speed 35 MPH	0	0	1	0	0	0	0	0	0	0	0	0	1
73.10(B)(2) Speed 25 MPH	0	0	0	1	0	0	0	0	0	0	0	0	1
72.032(A) Fail to Yield Stop Sign	0	0	1	0	0	0	0	0	0	0	0	0	1
4510.14A Driving Under Suspension - OVI	0	0	1	0	0	0	0	0	0	0	0	0	1
4510.21A Failure to Reinstate	0	0	1	0	0	0	0	0	0	0	0	0	1
4510.16A Driving Under Suspension - FRA	0	0	2	0	0	0	0	0	0	0	0	0	2
Traffic Totals	0	0	20	2	0	0	0	0	0	0	0	0	22
Totals	0	0	21	2	0	0	0	0	0	0	0	0	23



Incident Activity Report

Print Date/Time: 05/03/2022 10:49
Login ID: rburkholder
Layer: All
Areas: All

From Date: 03/01/2022 00:00
To Date: 04/30/2022 23:59

Bluffton Police Department
ORI Number: OH0020100
Incident Type: All

Hour	SUNDAY		MONDAY		TUESDAY		WEDNESDAY		THURSDAY		FRIDAY		SATURDAY		TOTAL	
	INCIDENTS	%	INCIDENTS	%	INCIDENTS	%	INCIDENTS	%	INCIDENTS	%	INCIDENTS	%	INCIDENTS	%	INCIDENTS	%
1	12	1.5	14	1.7	6	0.7	12	1.5	15	1.8	5	0.6	4	0.5	62	7.6
2	3	0.4	8	1.0	10	1.2	12	1.5	8	1.0	3	0.4	4	0.5	59	7.2
3	6	0.7	7	0.9	6	0.7	4	0.5	10	1.2	5	0.6	6	0.7	54	6.6
4	4	0.5	5	0.6	3	0.4	8	1.0	4	0.5	3	0.4	2	0.2	32	3.9
5	1	0.1	3	0.4	0	0.0	2	0.2	3	0.4	0	0.0	1	0.1	24	2.9
6	0	0.0	2	0.2	1	0.1	1	0.1	5	0.6	2	0.2	0	0.0	13	1.6
7	0	0.0	2	0.2	1	0.1	1	0.1	1	0.1	1	0.1	0	0.0	6	0.7
8	3	0.4	3	0.4	1	0.1	6	0.7	1	0.1	0	0.0	3	0.4	13	1.6
9	2	0.2	8	1.0	0	0.0	2	0.2	2	0.2	1	0.1	0	0.0	11	1.3
10	5	0.6	17	2.1	2	0.2	11	1.3	11	1.3	2	0.2	3	0.4	39	4.8
11	4	0.5	8	1.0	19	2.3	11	1.3	14	1.7	8	1.0	3	0.4	77	9.4
12	1	0.1	3	0.4	2	0.2	4	0.5	6	0.7	2	0.2	1	0.1	36	4.4
13	4	0.5	5	0.6	7	0.9	2	0.2	5	0.6	4	0.5	1	0.1	19	2.3
14	3	0.4	8	1.0	7	0.9	2	0.2	8	1.0	4	0.5	4	0.5	31	3.8
15	3	0.4	5	0.6	8	1.0	3	0.4	8	1.0	4	0.5	8	1.0	42	5.1
16	2	0.2	4	0.5	4	0.5	4	0.5	5	0.6	1	0.1	0	0.0	22	2.7
17	4	0.5	2	0.2	1	0.1	2	0.2	5	0.6	7	0.9	2	0.2	23	2.8
18	2	0.2	1	0.1	4	0.5	4	0.5	4	0.5	4	0.5	2	0.2	24	2.9
19	0	0.0	3	0.4	2	0.2	4	0.5	5	0.6	0	0.0	2	0.2	16	1.9
20	2	0.2	7	0.9	3	0.4	2	0.2	4	0.5	2	0.2	4	0.5	18	2.2
21	6	0.7	8	1.0	4	0.5	2	0.2	1	0.1	1	0.1	6	0.7	23	2.8
22	11	1.3	19	2.3	9	1.1	7	0.9	4	0.5	4	0.5	6	0.7	44	5.4
23	3	0.4	12	1.5	15	1.8	12	1.5	4	0.5	2	0.2	8	1.0	71	8.6
Totals:	88	10.7	168	20.5	139	16.9	141	17.2	133	16.2	71	8.7	81	9.9	821	100.00

Ryan Burkholder

From: Terri Hager, OACP <terri.hager@oacp.org>
Sent: Thursday, May 5, 2022 5:01 AM
To: Ryan Burkholder
Subject: TIME SENSITIVE: Light Ohio Blue Campaign 2022



LIGHT OHIO BLUE 2022 May 15th to May 21st

This year's campaign encompassing every corner of our great state is fast approaching. The annual campaign comes on the heels of the tragic loss of Bluffton Police Officer Dominic Francis. During this time, please remember Officer Francis and all our fallen officers and remember and support their families at home as well their families at their agencies.



The pillars of the campaign of **Honor** (our fallen law enforcement officers and their families) and **Support** (currently serving law enforcement personnel and their families). The ability for anyone to participate is by the simplicity of the campaign allowing anyone to be involved by placing a visible blue light or ribbon.

The campaign is a way to help build new bridges to the community and to help fortify existing bridges. Share your organizations, agencies, and community events during the campaign. We look forward to seeing your social media posts, photos, videos, and related new stories. The hashtag for this year is **#LightOhioBlue2022**. On our website (www.LightOhioBlue.org) you can access photos and videos of previous years as well as the last year's public service announcement that is a good resource to share. The media kit is also available on the website for your use.

2022 Cruiser Caravan Tuesday May 17th, staging beginning at 1700 hrs.

The registration link on the LOB website under events to register is now active. The password to register is **2022caravan** The direct link is [2022 Caravan](#)

To receive the details of the caravan registration is necessary to help with logistics and to confirm only law enforcement agencies are receiving the information. If anyone has any issues or problems, please contact us by phone or email. The caravan will be occurring in Central Ohio.

We will be putting the 2022 Ohio LOB license plate on your cruiser while supplies last. This is for you to keep at the conclusion of the caravan. If possible, to save time please have your rear plate removed or take it off as soon as possible upon arriving. Remember to keep the attachment bolts in place or available to place the new plate on your cruiser.

Also, there will be some surviving family members riding in the caravan with their respective agencies. You are encouraged to show support and remembrance of fallen officers with signs and decals on your cruiser.

We will be operating off a MARCS channel for the caravan. The communications information, route, and other information will be sent a week prior to the event to all registrants.

The conclusion of the event will occur in downtown Columbus between 10:00 pm and 10:30 pm.

Please share this as appropriate with your colleagues and community. Thank you for being a part of Light Ohio Blue,

Bill Swank
614-638-7245
Bill319cmh@Gmail.com
Staff@LightOhioBlue.org

Ohio Association of Chiefs of Police | www.oacp.org | oacp@oacp.org, PH: 614-761-0330 | FAX: 614-761-9509, 6277 Riverside Dr. | Suite 2N ,
Dublin, OH 43017

[Unsubscribe burkholderr@bluffton-ohio.com](mailto:burkholderr@bluffton-ohio.com)

[Constant Contact Data Notice](#)

Sent by terri.hager@oacp.org powered by



Try email marketing for free today!